

	Hits	Search Text	DBs
1	676	(62/259.2).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	0	("1and((fanorblower)near3speed) ").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	72	((62/259.2).CCLS.) and ((fan or blower) near3 speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	2	("4722669"   "5038320").PN.	USPAT
5	33	5249741.URPN.	USPAT
6	177	(236/dig.9).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	1039	(236/49.3).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	676	(62/259.2).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	1280	(361/695).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	369	(361/694).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	1057	(361/687).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	428	(361/688).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	2280	(165/80.3).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	571	(454/184).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	21045	(fan or blower) near3 speed	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	18827	(fan or blower) near3 power	USPAT; US-PGPUB; EPO; JPO; DERWENT

EAST search 6/30/84

	Hits	Search Text	DBs
17	4310	((236/dig.9).CCLS.) or ((236/49.3).CCLS.) or ((62/259.2).CCLS.) or ((361/695).CCLS.) or ((361/694).CCLS.) or ((361/687).CCLS.) or ((361/688).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	1159	((236/dig.9).CCLS.) or ((236/49.3).CCLS.) or ((62/259.2).CCLS.) or ((361/695).CCLS.) or ((361/694).CCLS.) or ((361/687).CCLS.) or ((361/688).CCLS.) and (((fan or blower) near3 speed) or ((fan or blower) near3 power))	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	6230	(increas\$3 or decreas\$3 or maintain\$3 or vary\$3) near5 (((fan or blower) near3 speed) or ((fan or blower) near3 power))	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	364	((236/dig.9).CCLS.) or ((236/49.3).CCLS.) or ((62/259.2).CCLS.) or ((361/695).CCLS.) or ((361/694).CCLS.) or ((361/687).CCLS.) or ((361/688).CCLS.) and ((increas\$3 or decreas\$3 or maintain\$3 or vary\$3) near5 (((fan or blower) near3 speed) or ((fan or blower) near3 power)))	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	5593	temperature near5 (vital or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	31	((236/dig.9).CCLS.) or ((236/49.3).CCLS.) or ((62/259.2).CCLS.) or ((361/695).CCLS.) or ((361/694).CCLS.) or ((361/687).CCLS.) or ((361/688).CCLS.) and ((increas\$3 or decreas\$3 or maintain\$3 or vary\$3) near5 (((fan or blower) near3 speed) or ((fan or blower) near3 power)))) and (temperature near5 (vital or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	1	thermal adj monitoring adj transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
24	1	thermal adj monitor\$3 adj transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT
25	426	monitor\$3 adj transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	1	temperature adj monitor\$3 adj transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT
27	0	6134667.pn. and transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT
28	0	6134667.pn. and chipset	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	18	"on-die" near5 transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT
30	5090	chipset	USPAT; US-PGPUB; EPO; JPO; DERWENT
31	434	chipset and fan	USPAT; US-PGPUB; EPO; JPO; DERWENT
32	434	chipset and fan	USPAT; US-PGPUB; EPO; JPO; DERWENT
33	233	chipset and fan	USPAT
34	0	"on die" near5 transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT
35	32	chipset and (fan near5 speed)	USPAT
36	567	(fan or blower) near5 (maximum near2 speed)	USPAT
37	14	((fan or blower) near5 (maximum near2 speed)) and (percentage near5 maximum)	USPAT